CEFSCONV(1) CEFSCONV(1)

## **NAME**

cefsconv – convert a TeX document in SJIS encoding containing CEF macros into 'preprocessed' form.

# **SYNOPSIS**

**cefsconv** < *infile* > *outfile* 

### DESCRIPTION

The Chinese Encoding Framework (CEF) developed by Christian Wittern <cwittern@con-line.central.de> makes it possible to include CJK characters in various encodings using the SGML macros &CX-aabb; for Big 5 and CNS encoding and &U-aabb; for Unicode (X denotes a number between 0 and 7; 0 represents Big 5 encoding, 1-7 CNS encoding planes 1-7. aabb is either a decimal or hexadecimal number).

**cefsconv** converts the CEF macros of a SJIS encoded document together with the SJIS encoding itself into a form which can directly processed with  $\text{LAT}_{EX} 2_{\mathcal{E}}$ . It is identical to

```
sjisconv < infile | cefconv > outfile
```

This filter is part of the CJK macro package for  $L^{A}T_{E}X 2_{\varepsilon}$ .

## **SEE ALSO**

**sjisconv**(1), **bg5conv**(1), **cefconv**(1), **cef5conv**(1), **extconv**(1), the **CJK** documentation files.

## **AUTHOR**

Werner Lemberg <wl@gnu.org>