# BIBTEXing

#### Oren Patashnik

#### February 8, 1988

## 1 Overview

[This document will be expanded when  $BIBT_EX$  version 1.00 comes out. Please report typos, omissions, inaccuracies, and especially unclear explanations to me (patashnik@SCORE.STANFORD.EDU). Suggestions for improvements are wanted and welcome.]

This documentation, for  $BIBT_EX$  version 0.99b, is meant for general  $BIBT_EX$  users; bibliography-style designers should read this document and then read "Designing  $BIBT_EX$  Styles" [3], which is meant for just them.

This document has three parts: Section 2 describes the differences between versions 0.98i and 0.99b of  $BiBT_EX$  and between the corresponding versions of the standard styles; Section 3 updates Appendix B.2 of the LATEX book [2]; and Section 4 gives some general and specific tips that aren't documented elsewhere. It's assumed throughout that you're familiar with the relevant sections of the LATEX book.

This documentation also serves as sample input to help  $BiBT_EX$  implementors get it running. For most documents, this one included, you produce the reference list by: running  $IAT_EX$  on the document (to produce the aux file(s)), then running  $BiBT_EX$  (to produce the bbl file), then  $IAT_EX$  twice more (first to find the information in the bbl file and then to get the forward references correct). In very rare circumstances you may need an extra  $BiBT_EX/IAT_EX$  run.

BIBT<sub>E</sub>X version 0.99b should be used with  $IAT_EX$  version 2.09, for which the closed bibliography format is the default; to get the open format, use the optional document style **openbib** (in an open format there's a line break between major blocks of a reference-list entry; in a closed format the blocks run together).]

Note: BIBT<sub>E</sub>X 0.99b is not compatible with the old style files; nor is BIBT<sub>E</sub>X 0.98i compatible with the new ones (the new BIBT<sub>E</sub>X, however, is compatible with old database files).

Note for implementors:  $BiBT_EX$  provides logical-area names **TEXINPUTS**: for bibliography-style files and **TEXBIB**: for database files it can't otherwise find.

# 2 Changes

This section describes the differences between  $BiBT_EX$  versions 0.98i and 0.99b, and also between the corresponding standard styles. There were a lot of differences; there will be a lot fewer between 0.99 and 1.00.

## 2.1 New BIBT<sub>F</sub>X features

The following list explains BIBT<sub>E</sub>X's new features and how to use them.

- 1. With the single command '\nocite{\*}' you can now include in the reference list every entry in the database files, without having to explicitly \cite or \nocite each entry. Giving this command, in essence, \nocites all the enties in the database, in database order, at the very spot in your document where you give the command.
- 2. You can now have as a field value (or an **@STRING** definition) the concatenation of several strings. For example if you've defined

@STRING( WGA = " World Gnus Almanac" )

then it's easy to produce nearly-identical title fields for different entries:

```
@BOOK(almanac-66,
    title = 1966 # WGA,
    . .
@BOOK(almanac-67,
    title = 1967 # WGA,
```

and so on. Or, you could have a field like

month =  $"1^{"}$  # jan,

which would come out something like '1~January' or '1~Jan.' in the bbl file, depending on how your bibliography style defines the jan abbreviation. You may concatenate as many strings as you like (except that there's a limit to the overall length of the resulting field); just be sure to put the concatenation character '#', surrounded by optional spaces or newlines, between each successive pair of strings.

3. BIBT<sub>E</sub>X has a new cross-referencing feature, explained by an example. Suppose you say \cite{no-gnats} in your document, and suppose you have these two entries in your database file:

```
@INPROCEEDINGS(no-gnats,
    crossref = "gg-proceedings",
    author = "Rocky Gneisser",
    title = "No Gnats Are Taken for Granite",
    pages = "133-139")
. . .
@PROCEEDINGS(gg-proceedings,
    editor = "Gerald Ford and Jimmy Carter",
    title = "The Gnats and Gnus 1988 Proceedings",
    booktitle = "The Gnats and Gnus 1988 Proceedings")
```

Two things happen. First, the special crossref field tells  $BIBT_EX$  that the no-gnats entry should inherit any fields it's missing from the entry it cross references, gg-proceedings. In this case it in inherits the two fields editor and booktitle. Note that, in the standard styles at least, the booktitle field is irrelevant for the PROCEEDINGS entry type. The booktitle field appears here in the gg-proceedings entry only so that the entries that cross reference it may inherit the field. No matter how many papers from this meeting exist in the database, this booktitle field need only appear once.

The second thing that happens:  $BIBT_EX$  automatically puts the entry gg-proceedings into the reference list if it's cross referenced by two or more entries that you \cite or \nocite, even if you don't \cite or \nocite the gg-proceedings entry itself. So gg-proceedings will automatically appear on the reference list if one other entry besides no-gnats cross references it.

To guarantee that this scheme works, however, a cross-referenced entry must occur later in the database files than every entry that cross-references it. Thus, putting all cross-referenced entries at the end makes sense. (Moreover, you may not reliably nest cross references; that is, a crossreferenced entry may not itself reliably cross reference an entry. This is almost certainly not something you'd want to do, though.)

One final note: This cross-referencing feature is completely unrelated to the old  ${\rm BiBT}_{\rm E} X$ 's cross referencing, which is still allowed. Thus, having a field like

```
note = "Jones \cite{jones-proof} improves the result"
```

is not affected by the new feature.

4.  $BiBT_EX$  now handles accented characters. For example if you have an entry with the two fields

```
author = "Kurt G{\"o}del",
year = 1931,
```

and if you're using the alpha bibliography style, then  $BIBT_EX$  will construct the label [Göd31] for this entry, which is what you'd want. To get this feature to work you must place the entire accented character in braces; in this case either {\"o} or {\"{o}} will do. Furthermore these braces must not themselves be enclosed in braces (other than the ones that might delimit the entire field or the entire entry); and there must be a backslash as the very first character inside the braces. Thus neither {G{\"{o}}del} nor {G\"{o}del} will work for this example.

This feature handles all the accented characters and all but the nonbackslashed foreign symbols found in Tables 3.1 and 3.2 of the IAT<sub>E</sub>X book. This feature behaves similarly for "accents" you might define; we'll see an example shortly. For the purposes of counting letters in labels,  $BIBT_EX$ considers everything contained inside the braces as a single letter.

5. BIBT<sub>E</sub>X also handles hyphenated names. For example if you have an entry with

```
author = "Jean-Paul Sartre",
```

and if you're using the abbrv style, then the result is 'J.-P. Sartre'.

6. There's now an **@PREAMBLE** command for the database files. This command's syntax is just like **@STRING**'s, except that there is no name or equals-sign, just the string. Here's an example:

### 

(note the use of concatenation here, too). The standard styles output whatever information you give this command ( $IAT_EX$  macros most likely) directly to the bbl file. We'll look at one possible use of this command, based on the **\noopsort** command just defined.

The issue here is sorting (alphabetizing).  $BIBT_EX$  does a pretty good job, but occasionally weird circumstances conspire to confuse  $BIBT_EX$ : Suppose that you have entries in your database for the two books in a two-volume set by the same author, and that you'd like volume 1 to appear just before volume 2 in your reference list. Further suppose that there's now a second edition of volume 1, which came out in 1973, say, but that there's still just one edition of volume 2, which came out in 1971. Since the plain standard style sorts by author and then year, it will place volume 2 first (because its edition came out two years earlier) unless you help  $BIBT_EX$ . You can do this by using the year fields below for the two volumes:

```
year = "{\noopsort{a}}1973"
. . .
year = "{\noopsort{b}}1971"
```

According to the definition of  $\noopsort$ ,  $\mbox{IAT}_EX$  will print nothing but the true year for these fields. But  $\mbox{BiBT}_EX$  will be perfectly happy pretending that  $\noopsort$  specifies some fancy accent that's supposed to adorn the 'a' and the 'b'; thus when  $\mbox{BiBT}_EX$  sorts it will pretend that 'a1973' and 'b1971' are the real years, and since 'a' comes before 'b', it will place volume 1 before volume 2, just what you wanted. By the way, if this author has any other works included in your database, you'd probably want to use instead something like { $\noopsort{1968a}1973$  and { $\noopsort{1968b}1971$ , so that these two books would come out in a reasonable spot relative to the author's other works (this assumes that 1968 results in a reasonable spot, say because that's when the first edition of volume 1 appeared).

There is a limit to the number of **@PREAMBLE** commands you may use, but you'll never exceed this limit if you restrict yourself to one per database file; this is not a serious restriction, given the concatenation feature (item 2).

- 7.  $BibT_EX$ 's sorting algorithm is now stable. This means that if two entries have identical sort keys, those two entries will appear in citation order. (The bibliography styles construct these sort keys—usually the author information followed by the year and the title.)
- 8. BIBT<sub>E</sub>X no longer does case conversion for file names; this will make BIBT<sub>E</sub>X easier to install on Unix systems, for example.
- 9. It's now easier to add code for processing a command-line aux-file name.

## 2.2 Changes to the standard styles

This section describes changes to the standard styles (plain, unsrt, alpha, abbrv) that affect ordinary users. Changes that affect style designers appear in the document "Designing BIBT<sub>F</sub>X Styles" [3].

- 1. In general, sorting is now by "author", then year, then title—the old versions didn't use the year field. (The alpha style, however, sorts first by label, then "author", year, and title.) The quotes around author mean that some entry types might use something besides the author, like the editor or organization.
- 2. Many unnecessary ties (~) have been removed. LATEX thus will produce slightly fewer 'Underfull \hbox' messages when it's formatting the reference list.

- 3. Emphasizing ({\em ...}) has replaced italicizing ({\it ...}). This will almost never result in a difference between the old output and the new.
- 4. The alpha style now uses a superscripted '+' instead of a '\*' to represent names omitted in constructing the label. If you really liked it the way it was, however, or if you want to omit the character entirely, you don't have to modify the style file—you can override the '+' by redefining the \etalchar command that the alpha style writes onto the bbl file (just preceding the \thebibliography environment); use LATEX's \renewcommand inside a database @PREAMBLE command, described in the previous subsection's item 6.
- 5. The abbrv style now uses 'Mar.' and 'Sept.' for those months rather than 'March' and 'Sep.'
- 6. The standard styles use BIBT<sub>E</sub>X's new cross-referencing feature by giving a \cite of the cross-referenced entry and by omitting from the crossreferencing entry (most of the) information that appears in the crossreferenced entry. These styles do this when a titled thing (the crossreferencing entry) is part of a larger titled thing (the cross-referenced entry). There are five such situations: when (1) an INPROCEEDINGS (or CONFERENCE, which is the same) cross references a PROCEEDINGS; when (2) a BOOK, (3) an INBOOK, or (4) an INCOLLECTION cross references a BOOK (in these cases, the cross-referencing entry is a single volume in a multi-volume work); and when (5) an ARTICLE cross references an ARTICLE (in this case, the cross-referenced entry is really a journal, but there's no JOURNAL entry type; this will result in warning messages about an empty author and title for the journal—you should just ignore these warnings).
- 7. The MASTERSTHESIS and PHDTHESIS entry types now take an optional type field. For example you can get the standard styles to call your reference a 'Ph.D. dissertation' instead of the default 'PhD thesis' by including a

type = "{Ph.D.} dissertation"

in your database entry.

8. Similarly, the INBOOK and INCOLLECTION entry types now take an optional type field, allowing 'section 1.2' instead of the default 'chapter 1.2'. You get this by putting

```
chapter = "1.2",
type = "Section"
```

in your database entry.

- 9. The BOOKLET, MASTERSTHESIS, and TECHREPORT entry types now format their title fields as if they were ARTICLE titles rather than BOOK titles.
- 10. The PROCEEDINGS and INPROCEEDINGS entry types now use the address field to tell where a conference was held, rather than to give the address of the publisher or organization. If you want to include the publisher's or organization's address, put it in the publisher or organization field.
- 11. The BOOK, INBOOK, INCOLLECTION, and PROCEEDINGS entry types now allow either volume or number (but not both), rather than just volume.
- 12. The INCOLLECTION entry type now allows a series and an edition field.
- 13. The INPROCEEDINGS and PROCEEDINGS entry types now allow either a volume or number, and also a series field.
- 14. The UNPUBLISHED entry type now outputs, in one block, the note field followed by the date information.
- 15. The MANUAL entry type now prints out the organization in the first block if the author field is empty.
- 16. The MISC entry type now issues a warning if all the optional fields are empty (that is, if the entire entry is empty).

# 3 The Entries

This section is simply a corrected version of Appendix B.2 of the IATEX book [2], © 1986, by Addison-Wesley. The basic scheme is the same, only a few details have changed.

## 3.1 Entry Types

When entering a reference in the database, the first thing to decide is what type of entry it is. No fixed classification scheme can be complete, but  $BIBT_EX$  provides enough entry types to handle almost any reference reasonably well.

References to different types of publications contain different information; a reference to a journal article might include the volume and number of the journal, which is usually not meaningful for a book. Therefore, database entries of different types have different fields. For each entry type, the fields are divided into three classes:

**required** Omitting the field will produce a warning message and, rarely, a badly formatted bibliography entry. If the required information is not meaningful, you are using the wrong entry type. However, if the required information is meaningful but, say, already included is some other field, simply ignore the warning.

- **optional** The field's information will be used if present, but can be omitted without causing any formatting problems. You should include the optional field if it will help the reader.
- **ignored** The field is ignored. BIBT<sub>E</sub>X ignores any field that is not required or optional, so you can include any fields you want in a **bib** file entry. It's a good idea to put all relevant information about a reference in its **bib** file entry—even information that may never appear in the bibliography. For example, if you want to keep an abstract of a paper in a computer file, put it in an **abstract** field in the paper's **bib** file entry. The **bib** file is likely to be as good a place as any for the abstract, and it is possible to design a bibliography style for printing selected abstracts. Note: Misspelling a field name will result in its being ignored, so watch out for typos (especially for optional fields, since BIBT<sub>F</sub>X won't warn you when those are missing).

The following are the standard entry types, along with their required and optional fields, that are used by the standard bibliography styles. The fields within each class (required or optional) are listed in order of occurrence in the output, except that a few entry types may perturb the order slightly, depending on what fields are missing. These entry types are similar to those adapted by Brian Reid from the classification scheme of van Leunen [4] for use in the *Scribe* system. The meanings of the individual fields are explained in the next section. Some nonstandard bibliography styles may ignore some optional fields in creating the reference. Remember that, when used in the **bib** file, the entry-type name is preceded by an **Q** character.

- article An article from a journal or magazine. Required fields: author, title, journal, year. Optional fields: volume, number, pages, month, note.
- book A book with an explicit publisher. Required fields: author or editor, title, publisher, year. Optional fields: volume or number, series, address, edition, month, note.
- booklet A work that is printed and bound, but without a named publisher or sponsoring institution. Required field: title. Optional fields: author, howpublished, address, month, year, note.
- conference The same as INPROCEEDINGS, included for Scribe compatibility.
- inbook A part of a book, which may be a chapter (or section or whatever) and/or a range of pages. Required fields: author or editor, title, chapter and/or pages, publisher, year. Optional fields: volume or number, series, type, address, edition, month, note.
- incollection A part of a book having its own title. Required fields: author, title, booktitle, publisher, year. Optional fields: editor, volume or number, series, type, chapter, pages, address, edition, month, note.

- inproceedings An article in a conference proceedings. Required fields: author, title, booktitle, year. Optional fields: editor, volume or number, series, pages, address, month, organization, publisher, note.
- manual Technical documentation. Required field: title. Optional fields: author, organization, address, edition, month, year, note.
- mastersthesis A Master's thesis. Required fields: author, title, school, year. Optional fields: type, address, month, note.
- misc Use this type when nothing else fits. Required fields: none. Optional fields: author, title, howpublished, month, year, note.
- phdthesis A PhD thesis. Required fields: author, title, school, year. Optional fields: type, address, month, note.
- proceedings The proceedings of a conference. Required fields: title, year. Optional fields: editor, volume or number, series, address, month, organization, publisher, note.
- techreport A report published by a school or other institution, usually numbered within a series. Required fields: author, title, institution, year. Optional fields: type, number, address, month, note.
- unpublished A document having an author and title, but not formally published. Required fields: author, title, note. Optional fields: month, year.

In addition to the fields listed above, each entry type also has an optional key field, used in some styles for alphabetizing, for cross referencing, or for forming a **\bibitem** label. You should include a key field for any entry whose "author" information is missing; the "author" information is usually the **author** field, but for some entry types it can be the **editor** or even the **organization** field (Section 4 describes this in more detail). Do not confuse the key field with the key that appears in the **\cite** command and at the beginning of the database entry; this field is named "key" only for compatibility with *Scribe*.

#### 3.2 Fields

Below is a description of all fields recognized by the standard bibliography styles. An entry can also contain other fields, which are ignored by those styles.

address Usually the address of the publisher or other type of institution. For major publishing houses, van Leunen recommends omitting the information entirely. For small publishers, on the other hand, you can help the reader by giving the complete address.

- **annote** An annotation. It is not used by the standard bibliography styles, but may be used by others that produce an annotated bibliography.
- author The name(s) of the author(s), in the format described in the  $IAT_EX$  book.
- booktitle Title of a book, part of which is being cited. See the LATEX book for how to type titles. For book entries, use the title field instead.
- chapter A chapter (or section or whatever) number.
- crossref The database key of the entry being cross referenced.
- edition The edition of a book—for example, "Second". This should be an ordinal, and should have the first letter capitalized, as shown here; the standard styles convert to lower case when necessary.
- editor Name(s) of editor(s), typed as indicated in the LATEX book. If there is also an author field, then the editor field gives the editor of the book or collection in which the reference appears.
- **howpublished** How something strange has been published. The first word should be capitalized.
- institution The sponsoring institution of a technical report.
- **journal** A journal name. Abbreviations are provided for many journals; see the *Local Guide*.
- **key** Used for alphabetizing, cross referencing, and creating a label when the "author" information (described in Section 4) is missing. This field should not be confused with the key that appears in the **\cite** command and at the beginning of the database entry.
- month The month in which the work was published or, for an unpublished work, in which it was written. You should use the standard three-letter abbreviation, as described in Appendix B.1.3 of the LATEX book.
- **note** Any additional information that can help the reader. The first word should be capitalized.
- **number** The number of a journal, magazine, technical report, or of a work in a series. An issue of a journal or magazine is usually identified by its volume and number; the organization that issues a technical report usually gives it a number; and sometimes books are given numbers in a named series.
- **organization** The organization that sponsors a conference or that publishes a manual.

pages One or more page numbers or range of numbers, such as 42--111 or 7,41,73--97 or 43+ (the '+' in this last example indicates pages following that don't form a simple range). To make it easier to maintain *Scribe*-compatible databases, the standard styles convert a single dash (as in 7-33) to the double dash used in T<sub>E</sub>X to denote number ranges (as in 7--33).

publisher The publisher's name.

- school The name of the school where a thesis was written.
- series The name of a series or set of books. When citing an entire book, the the title field gives its title and an optional series field gives the name of a series or multi-volume set in which the book is published.
- title The work's title, typed as explained in the LATEX book.
- type The type of a technical report—for example, "Research Note".
- volume The volume of a journal or multivolume book.
- year The year of publication or, for an unpublished work, the year it was written. Generally it should consist of four numerals, such as 1984, although the standard styles can handle any year whose last four nonpunctuation characters are numerals, such as '(about 1984)'.

## 4 Helpful Hints

This section gives some random tips that aren't documented elsewhere, at least not in this detail. They are, roughly, in order of least esoteric to most. First, however, a brief spiel.

I understand that there's often little choice in choosing a bibliography style journal X says you must use style Y and that's that. If you have a choice, however, I strongly recommend that you choose something like the **plain** standard style. Such a style, van Leunen [4] argues convincingly, encourages better writing than the alternatives—more concrete, more vivid.

The Chicago Manual of Style [1], on the other hand, espouse the authordate system, in which the citation might appear in the text as '(Jones, 1986)'. I argue that this system, besides cluttering up the text with information that may or may not be relevant, encourages the passive voice and vague writing. Furthermore the strongest arguments for using the author-date system—like "it's the most practical"—fall flat on their face with the advent of computertypesetting technology. For instance the *Chicago Manual* contains, right in the middle of page 401, this anachronism: "The chief disadvantage of [a style like plain] is that additions or deletions cannot be made after the manuscript is typed without changing numbers in both text references and list." IATEX, obviously, sidesteps the disadvantage.

Finally, the logical deficiencies of the author-date style are quite evident once you've written a program to implement it. For example, in a large bibliography, using the standard alphabetizing scheme, the entry for '(Aho et al., 1983b)' might be half a page later than the one for '(Aho et al., 1983a)'. Fixing this problem results in even worse ones. What a mess. (I have, unfortunately, programmed such a style, and if you're saddled with an unenlightened publisher or if you don't buy my propaganda, it's available from the Rochester style collection.)

Ok, so the spiel wasn't very brief; but it made me feel better, and now my blood pressure is back to normal. Here are the tips for using  $BiBT_EX$  with the standard styles (although many of them hold for nonstandard styles, too).

- 1. With BIBT<sub>E</sub>X's style-designing language you can program general database manipulations, in addition to bibliography styles. For example it's a fairly easy task for someone familiar with the language to produce a database-key/author index of all the entries in a database. Consult the *Local Guide* to see what tools are available on your system.
- 2. The standard style's thirteen entry types do reasonably well at formatting most entries, but no scheme with just thirteen formats can do everything perfectly. Thus, you should feel free to be creative in how you use these entry types (but if you have to be too creative, there's a good chance you're using the wrong entry type).
- 3. Don't take the field names too seriously. Sometimes, for instance, you might have to include the publisher's address along with the publisher's name in the publisher field, rather than putting it in the address field. Or sometimes, difficult entries work best when you make judicious use of the note field.
- 4. Don't take the warning messages too seriously. Sometimes, for instance, the year appears in the title, as in *The 1966 World Gnus Almanac*. In this case it's best to omit the year field and to ignore  $BiBT_EX$ 's warning message.
- 5. If you have too many names to list in an **author** or **editor** field, you can end the list with "and others"; the standard styles appropriately append an "et al."
- 6. In general, if you want to keep  $BiBT_EX$  from changing something to lower case, you enclose it in braces. You might not get the effect you want, however, if the very first character after the left brace is a backslash. The "special characters" item later in this section explains.

- 7. For *Scribe* compatibility, the database files allow an **@COMMENT** command; it's not really needed because  $BIBT_EX$  allows in the database files any comment that's not within an entry. If you want to comment out an entry, simply remove the '@' character preceding the entry type.
- 8. The standard styles have journal abbreviations that are computer-science oriented; these are in the style files primarily for the example. If you have a different set of journal abbreviations, it's sensible to put them in **©STRING** commands in their own database file and to list this database file as an argument to LATEX's \bibliography command (but you should list this argument before the ones that specify real database entries).
- 9. It's best to use the three-letter abbreviations for the month, rather than spelling out the month yourself. This lets the bibliography style be consistent. And if you want to include information for the day of the month, the month field is usually the best place. For example

month = jul # "~4,"

will probably produce just what you want.

- 10. If you're using the unsrt style (references are listed in order of citation) along with the \nocite{\*} feature (all entries in the database are included), the placement of the \nocite{\*} command within your document file will determine the reference order. According to the rule given in Section 2.1: If the command is placed at the beginning of the document, the entries will be listed in exactly the order they occur in the database; if it's placed at the end, the entries that you explicitly \cite or \nocite will occur in citation order, and the remaining database entries will be in database order.
- 11. For theses, van Leunen recommends not giving the school's department after the name of the degree, since schools, not departments, issue degrees. If you really think that giving the department information will help the reader find the thesis, put that information in the address field.
- 12. The MASTERSTHESIS and PHDTHESIS entry types are so named for *Scribe* compatibility; MINORTHESIS and MAJORTHESIS probably would have been better names. Keep this in mind when trying to classify a non-U.S. thesis.
- 13. Here's yet another suggestion for what to do when an author's name appears slightly differently in two publications. Suppose, for example, two journals articles use these fields.

```
author = "Donald E. Knuth"
. . .
author = "D. E. Knuth"
```

There are two possibilities. You could (1) simply leave them as is, or (2) assuming you know for sure that these authors are one and the same person, you could list both in the form that the author prefers (say, 'Donald E. Knuth'). In the first case, the entries might be alphabetized incorrectly, and in the second, the slightly altered name might foul up somebody's electronic library search. But there's a third possibility, which is the one I prefer. You could convert the second journal's field to

```
author = "D[onald] E. Knuth"
```

This avoids the pitfalls of the previous two solutions, since  $BiBT_EX$  alphabetizes this as if the brackets weren't there, and since the brackets clue the reader in that a full first name was missing from the original. Of course it introduces another pitfall—'D[onald] E. Knuth' looks ugly—but in this case I think the increase in accuracy outweighs the loss in aesthetics.

- 14.  $\mathbb{IAT}_{E}X$ 's comment character '%' is not a comment character in the database files.
- 15. Here's a more complete description of the "author" information referred to in previous sections. For most entry types the "author" information is simply the author field. However: For the BOOK and INBOOK entry types it's the author field, but if there's no author then it's the editor field; for the MANUAL entry type it's the author field, but if there's no author then it's the organization field; and for the PROCEEDINGS entry type it's the editor field, but if there's no editor then it's the organization field.
- 16. When creating a label, the **alpha** style uses the "author" information described above, but with a slight change—for the MANUAL and PROCEEDINGS entry types, the **key** field takes precedence over the **organization** field. Here's a situation where this is useful.

```
organization = "The Association for Computing Machinery",
key = "ACM"
```

Without the key field, the alpha style would make a label from the first three letters of information in the organization field; alpha knows to strip off the 'The ', but it would still form a label like '[Ass86]', which, however intriguing, is uninformative. Including the key field, as above, would yield the better label '[ACM86]'.

You won't always need the key field to override the organization, though: With

organization = "Unilogic, Ltd.",

for instance, the alpha style would form the perfectly reasonable label '[Uni86]'.

17. Section 2.1 discusses accented characters. To  $BIBT_EX$ , an accented character is really a special case of a "special character", which consists of everything from a left brace at the top-most level, immediately followed by a backslash, up through the matching right brace. For example in the field

```
author = \Lambda \{ke\} \{ Jos \{ '\{e\} \} \{ '\{E\} douard \} G\{ "o\} del "
```

there are just two special characters, '{\'{E}douard}' and '{\"o}' (the same would be true if the pair of double quotes delimiting the field were braces instead). In general,  $BiBT_EX$  will not do any processing of a  $T_EX$  or  $IAT_EX$  control sequence inside a special character, but it *will* process other characters. Thus a style that converts all titles to lower case would convert

The {\TeX BOOK\NOOP} Experience

 $\operatorname{to}$ 

The {\TeX book\NOOP} experience

(the 'The' is still capitalized because it's the first word of the title).

This special-character scheme is useful for handling accented characters, for getting  $\rm BIBT_EX$ 's alphabetizing to do what you want, and, since  $\rm BIBT_EX$  counts an entire special character as just one letter, for stuffing extra characters inside labels. The file XAMPL.BIB distributed with  $\rm BIBT_EX$  gives examples of all three uses.

18. This final item of the section describes BIBT<sub>E</sub>X's names (which appear in the **author** or **editor** field) in slightly more detail than what appears in Appendix B of the LAT<sub>E</sub>X book. In what follows, a "name" corresponds to a person. (Recall that you separate multiple names in a single field with the word "and", surrounded by spaces, and not enclosed in braces. This item concerns itself with the structure of a single name.)

Each name consists of four parts: First, von, Last, and Jr; each part consists of a (possibly empty) list of name-tokens. The Last part will be nonempty if any part is, so if there's just one token, it's always a Last token.

Recall that Per Brinch Hansen's name should be typed

"Brinch Hansen, Per"

The First part of his name has the single token "Per"; the Last part has two tokens, "Brinch" and "Hansen"; and the von and Jr parts are empty. If you had typed

"Per Brinch Hansen"

instead,  ${\rm BiBT}_{\!E\!X}$  would (erroneously) think "Brinch" were a First-part token, just as "Paul" is a First-part token in "John Paul Jones", so this erroneous form would have two First tokens and one Last token.

Here's another example:

"Charles Louis Xavier Joseph de la Vall{\'e}e Poussin"

This name has four tokens in the First part, two in the von, and two in the Last. Here  $BiBT_EX$  knows where one part ends and the other begins because the tokens in the von part begin with lower-case letters.

In general, it's a von token if the first letter at brace-level 0 is in lower case. Since technically everything in a "special character" is at brace-level 0, you can trick  $BiBT_EX$  into thinking that a token is or is not a von token by prepending a dummy special character whose first letter past the  $T_EX$  control sequence is in the desired case, upper or lower.

To summarize,  $BiBT_{FX}$  allows three possible forms for the name:

"First von Last" "von Last, First" "von Last, Jr, First"

You may almost always use the first form; you shouldn't if either there's a Jr part, or the Last part has multiple tokens but there's no von part.

# References

- The Chicago Manual of Style, pages 400–401. University of Chicago Press, thirteenth edition, 1982.
- [2] Leslie Lamport. LATEX: A Document Preparation System. Addison-Wesley, 1986.
- [3] Oren Patashnik. Designing  $BiBT_EX$  styles. The part of  $BiBT_EX$ 's documentation that's not meant for general users, 8 February 1988.
- [4] Mary-Claire van Leunen. A Handbook for Scholars. Knopf, 1979.