

The pdfcolparallel package

Heiko Oberdiek
<heiko.oberdiek at gmail.com>

2010/01/11 v1.3

Abstract

This packages fixes bugs in `parallel` and improves color support by using several color stacks that are provided by pdfTeX since version 1.40.

Contents

1 Usage	1
1.1 Option <code>rulebetweencolor</code>	2
1.2 Future	2
2 Implementation	2
2.1 Identification	2
2.2 Load and fix package <code>parallel</code>	2
2.3 Color stack support	7
2.4 Redefinitions	7
3 Test	10
4 Installation	12
4.1 Download	12
4.2 Bundle installation	12
4.3 Package installation	12
4.4 Refresh file name databases	12
4.5 Some details for the interested	13
5 References	13
6 History	13
[2007/09/09 v1.0]	13
[2007/12/12 v1.1]	13
[2008/08/11 v1.2]	14
[2010/01/11 v1.3]	14
7 Index	14

1 Usage

```
\usepackage{pdfcolparallel}
```

The package `pdfcolparallel` loads package `parallel` [1] and redefines some macros to fix bugs.

If color stacks are available then package `parallel` is further patched to support them.

1.1 Option `rulebetweencolor`

Package `pdfcolparallel` also fixes the color for the rule between columns. Default color is `\normalcolor`. But this can be changed by using option `rulebetweencolor` for `\setkeys{parallel}` (see package `keyval`). The option takes a color specification as value. If the value is empty, then the default (`\normalcolor`) is used. Examples:

```
\setkeys{parallel}{rulebetweencolor=blue},
\setkeys{parallel}{rulebetweencolor={red}},
\setkeys{parallel}{rulebetweencolor={}}, % \normalcolor is
used
\setkeys{parallel}{rulebetweencolor=[rgb]{1,0,.5}}
```

1.2 Future

If there will be a new version of package `parallel` that adds support for color stacks, then this package may become obsolete.

2 Implementation

2.1 Identification

```
1 (*package)
2 \NeedsTeXFormat{LaTeX2e}
3 \ProvidesPackage{pdfcolparallel}%
4 [2010/01/11 v1.3 Fixed parallel with color stacks support (HO)]%
```

2.2 Load and fix package `parallel`

Package `parallel` is loaded. Before options of package `pdfcolparallel` are passed to package `parallel`.

```
5 \DeclareOption*{%
6   \PassOptionsToPackage{\CurrentOption}{parallel}%
7 }
8 \ProcessOptions\relax
9 \RequirePackage{parallel}[2003/04/13]
10 \RequirePackage{infwarerr}[2007/09/09]

\pcp@ColorPatch
11 \begingroup\expandafter\expandafter\expandafter\endgroup
12 \expandafter\ifx\csname currentgrouplevel\endcsname\relax
13   \def\pcp@ColorPatch{}%
14 \else
15   \def\pcp@ColorPatch{%
16     \@ifundefined{set@color}{%
17       \gdef\pcp@ColorPatch{}%
18     }{%
19       \gdef\pcp@ColorPatch{%
20         \gdef\pcp@ColorResets{}%
21         \bgroup
22         \aftergroup\pcp@ColorResets
23         \aftergroup\egroup
24         \let\pcp@OrgSetColor\set@color
25         \let\set@color\pcp@SetColor
26         \edef\pcp@GroupLevel{\the\currentgrouplevel}%
27       }%
28     }%
29   \pcp@ColorPatch
30 }
```

\pcp@SetColor

```
31 \def\pcp@SetColor{%
32   \ifnum\pcp@GroupLevel=\currentgrouplevel
33     \let\pcp@OrgAfterGroup\aftergroup
34     \def\aftergroup{%
35       \g@addto@macro\pcp@ColorResets
36     }%
37     \pcp@OrgSetColor
38     \let\aftergroup\pcp@OrgAfterGroup
39   \else
40     \pcp@OrgSetColor
41   \fi
42 }%
43 \fi
```

\pcp@CmdCheckRedef

```
44 \def\pcp@CmdCheckRedef#1{%
45   \begingroup
46   \def\pcp@cmd{#1}%
47   \afterassignment\pcp@CmdDo
48   \long\def\reserved@a
49 }
50 \def\pcp@CmdDo{%
51   \expandafter\ifx\pcp@cmd\reserved@a
52   \else
53     \edef\x*{\expandafter\string\pcp@cmd}%
54     \@PackageWarningNoLine{pdfcolparallel}{%
55       Command \x* has changed.\MessageBreak
56       Supported versions of package 'parallel':\MessageBreak
57       \space\space 2003/04/13\MessageBreak
58       The redefinition of \x* may\MessageBreak
59       not behave correctly depending on the changes%
60     }%
61   \fi
62   \expandafter\endgroup
63   \expandafter\def\pcp@cmd
64 }
65 \def\pcp@SwitchStack#1#2{}
66 \def\pcp@SetCurrent#1{}
```

\ParallelText

```
67 \pcp@CmdCheckRedef\ParallelText{%
68   \everypar{}%
69   \@restorepar
70   \begingroup
71   \hbadness=3000 %
72   \let\footnote=\ParallelFootnote
73   \ParallelWhichBox=0 %
74   \global\setbox\ParallelLBox=\vbox\bgroup
75   \hsize=\ParallelLWidth
76   \aftergroup\ParallelAfterText
77   \begingroup
78   \afterassignment\ParallelCheckOpenBrace
79   \let\x=%
80 }{%
81   \everypar{}%
82   \@restorepar
83   \@nobreakfalse
84   \begingroup
85   \hbadness=3000 %
86   \let\footnote=\ParallelFootnote
```

```

87 \ParallelWhichBox=0 %
88 \global\setbox\ParallellBox=\vbox\bgroup
89 \hsize=\ParallellWidth
90 \linewidth=\ParallellWidth
91 \pcp@SwitchStack{Left}\ParallellBox
92 \aftergroup\ParallelAfterText
93 \pcp@ColorPatch
94 \begingroup
95 \afterassignment\ParallelCheckOpenBrace
96 \let\x=%
97 }

```

\ParallelRText

```

98 \pcp@CmdCheckRedef\ParallelRText{%
99 \everypar{}%
100 \@restorepar
101 \begingroup
102 \hbadness=3000 %
103 \ifnum\ParallelFNMode=\@ne
104 \let\footnote=\ParallelRFootnote
105 \else
106 \let\footnote=\ParallellFootnote
107 \fi
108 \ParallelWhichBox=\@ne
109 \global\setbox\ParallelRBox=\vbox\bgroup
110 \hsize=\ParallelRWidth
111 \aftergroup\ParallelAfterText
112 \begingroup
113 \afterassignment\ParallelCheckOpenBrace
114 \let\x=%
115 }{%
116 \everypar{}%
117 \@restorepar
118 \@nobeakfalse
119 \begingroup
120 \hbadness=3000 %
121 \ifnum\ParallelFNMode=\@ne
122 \let\footnote=\ParallelRFootnote
123 \else
124 \let\footnote=\ParallellFootnote
125 \fi
126 \ParallelWhichBox=\@ne
127 \global\setbox\ParallelRBox=\vbox\bgroup
128 \hsize=\ParallelRWidth
129 \linewidth=\ParallelRWidth
130 \pcp@SwitchStack{Right}\ParallelRBox
131 \aftergroup\ParallelAfterText
132 \pcp@ColorPatch
133 \begingroup
134 \afterassignment\ParallelCheckOpenBrace
135 \let\x=%
136 }

```

\ParallelParTwoPages

```

137 \pcp@CmdCheckRedef\ParallelParTwoPages{%
138 \ifnum\ParallelBoolVar=\@ne
139 \par
140 \begingroup
141 \global\ParallelWhichBox=\@ne
142 \newpage
143 \vbadness=10000 %
144 \vfuzz=3ex %

```

```

145     \splittopskip=\z@skip
146     \loop%
147         \ifnum\ParallelBoolVar=\@ne%
148             \ifnum\ParallelWhichBox=\@ne
149                 \ifvoid\ParallellLBox
150                     \mbox{} %
151                     \newpage
152                 \else
153                     \global\ParallelWhichBox=\z@
154                 \fi
155             \else
156                 \ifvoid\ParallellRBox
157                     \mbox{} %
158                     \newpage
159                 \else
160                     \global\ParallelWhichBox=\@ne
161                 \fi
162             \fi
163         \ifnum\ParallelWhichBox=\z@
164             \ifodd\thepage
165                 \mbox{} %
166                 \newpage
167             \fi
168             \hbox to\textwidth{%
169                 \vbox{\vsplit\ParallellLBox to.98\textheight}%
170             }%
171         \else
172             \ifodd\thepage\relax
173             \else
174                 \mbox{} %
175                 \newpage
176             \fi
177             \hbox to\textwidth{%
178                 \vbox{\vsplit\ParallellRBox to.98\textheight}%
179             }%
180         \fi
181         \vspace*{\fill}%
182         \newpage
183     \fi
184     \ifvoid\ParallellLBox
185         \ifvoid\ParallellRBox
186             \global\ParallelBoolVar=\z@
187         \fi
188     \fi
189     \ifnum\ParallelBoolVar=\@ne
190     \repeat
191     \par
192 \endgroup
193 \fi
194 }{%
```

Additional fixes:

- Unnecessary white space removed.
- `\ifodd\thepage` changed to `\ifodd\value{page}`.

```

195 \ifnum\ParallelBoolVar=\@ne
196     \par
197     \beginingroup
198         \global\ParallelWhichBox=\@ne
199         \newpage
200         \vbadness=10000 %
201         \vfuzz=3ex %
```

```

202 \splittopskip=\z@skip
203 \loop%
204 \ifnum\ParallelBoolVar=\@ne%
205 \ifnum\ParallelWhichBox=\@ne
206 \ifvoid\ParallellLBox
207 \mbox{}%
208 \newpage
209 \else
210 \global\ParallelWhichBox=\z@
211 \fi
212 \else
213 \ifvoid\ParallellRBox
214 \null
215 \newpage
216 \else
217 \global\ParallelWhichBox=\@ne
218 \fi
219 \fi
220 \ifnum\ParallelWhichBox=\z@
221 \ifodd\value{page}%
222 \null
223 \newpage
224 \fi
225 \hbox to\textwidth{%
226 \pcp@SetCurrent{Left}%
227 \setbox\z@=\vsplit\ParallellLBox to.98\textheight
228 \vbox to.98\textheight{%
229 \@texttop
230 \unvbox\z@
231 \@textbottom
232 }%
233 }%
234 \else
235 \ifodd\value{page}%
236 \else
237 \mbox{}%
238 \newpage
239 \fi
240 \hbox to\textwidth{%
241 \pcp@SetCurrent{Right}%
242 \setbox\z@=\vsplit\ParallellRBox to.98\textheight
243 \vbox to.98\textheight{%
244 \@texttop
245 \unvbox\z@
246 \@textbottom
247 }%
248 }%
249 \fi
250 \vspace*{\fill}%
251 \newpage
252 \fi
253 \ifvoid\ParallellLBox
254 \ifvoid\ParallellRBox
255 \global\ParallelBoolVar=\z@
256 \fi
257 \fi
258 \ifnum\ParallelBoolVar=\@ne
259 \repeat
260 \par
261 \endgroup
262 \pcp@SetCurrent{}%
263 \fi

```

264 }

2.3 Color stack support

```
265 \RequirePackage{pdfcol}[2007/12/12]
266 \ifpdfcolAvailable
267 \else
268   \PackageInfo{pdfcolparallel}{%
269     Loading aborted, because color stacks are not available%
270   }%
271   \expandafter\endinput
272 \fi

273 \pdfcolInitStack{pcp@Left}
274 \pdfcolInitStack{pcp@Right}
```

\pcp@Box

```
275 \newbox\pcp@Box
```

\pcp@SwitchStack

```
276 \def\pcp@SwitchStack#1#2{%
277   \pdfcolSwitchStack{pcp@#1}%
278   \global\setbox\pcp@Box=\vbox to Opt{%
279     \pdfcolSetCurrentColor
280   }%
281   \aftergroup\pcp@FixBox
282   \aftergroup#2%
283 }
```

\pcp@FixBox

```
284 \def\pcp@FixBox#1{%
285   \global\setbox#1=\vbox{%
286     \unvbox\pcp@Box
287     \unvbox#1%
288   }%
289 }
```

\pcp@SetCurrent

```
290 \def\pcp@SetCurrent#1{%
291   \ifx\#1\%
292     \pdfcolSetCurrent{}%
293   \else
294     \pdfcolSetCurrent{pcp@#1}%
295   \fi
296 }
```

2.4 Redefinitions

\ParallelParOnePage

```
297 \pcp@CmdCheckRedef\ParallelParOnePage{%
298   \ifnum\ParallelBoolVar=\@ne
299     \par
300     \begingroup
301     \leftmargin=\z@
302     \rightmargin=\z@
303     \parskip=\z@skip
304     \parindent=\z@
305     \vbadness=10000 %
306     \vfuzz=3ex %
307     \splittopskip=\z@skip
308     \loop
309     \ifnum\ParallelBoolVar=\@ne
```

```

310     \noindent
311     \hbox to\textwidth{%
312         \hskip\ParallelLeftMargin
313         \hbox to\ParallelTextWidth{%
314             \ifvoid\ParallelLBox
315                 \hskip\ParallelLWidth
316             \else
317                 \ParallelWhichBox=\z@
318                 \vbox{%
319                     \setbox\ParallelBoxVar
320                     =\vsplit\ParallelLBox to\dp\strutbox
321                     \unvbox\ParallelBoxVar
322                 }%
323             \fi
324             \strut
325             \ifnum\ParallelBoolMid=\@ne
326                 \hskip\ParallelMainMidSkip
327                 \vrule
328             \else
329                 \hss
330             \fi
331             \hss
332             \ifvoid\ParallelRBox
333                 \hskip\ParallelRWidth
334             \else
335                 \ParallelWhichBox=\@ne
336                 \vbox{%
337                     \setbox\ParallelBoxVar
338                     =\vsplit\ParallelRBox to\dp\strutbox
339                     \unvbox\ParallelBoxVar
340                 }%
341             \fi
342         }%
343     }%
344     \ifvoid\ParallelLBox
345     \ifvoid\ParallelRBox
346         \global\ParallelBoolVar=\z@
347     \fi
348 \fi%
349 \fi%
350 \ifnum\ParallelBoolVar=\@ne
351 \penalty\interlinepenalty
352 \repeat
353 \par
354 \endgroup
355 \fi
356 }{%
357 \ifnum\ParallelBoolVar=\@ne
358 \par
359 \beginingroup
360 \leftmargin=\z@
361 \rightmargin=\z@
362 \parskip=\z@skip
363 \parindent=\z@
364 \vbadness=10000 %
365 \vfuzz=3ex %
366 \splittopskip=\z@skip
367 \loop
368 \ifnum\ParallelBoolVar=\@ne
369 \noindent
370 \hbox to\textwidth{%
371     \hskip\ParallelLeftMargin

```



```

372         \hbox to\ParallelTextWidth{%
373         \ifvoid\ParallelLBox
374         \hskip\ParallelLWidth
375         \else
376         \pcp@SetCurrent{Left}%
377         \ParallelWhichBox=\z@
378         \vbox{%
379         \setbox\ParallelBoxVar
380         =\vsplit\ParallelLBox to\dp\strutbox
381         \unvbox\ParallelBoxVar
382         }%
383         \fi
384         \strut
385         \ifnum\ParallelBoolMid=\@ne
386         \hskip\ParallelMainMidSkip
387         \begingroup
388         \pcp@RuleBetweenColor
389         \vrule
390         \endgroup
391         \else
392         \hss
393         \fi
394         \hss
395         \ifvoid\ParallelRBox
396         \hskip\ParallelRWidth
397         \else
398         \pcp@SetCurrent{Right}%
399         \ParallelWhichBox=\@ne
400         \vbox{%
401         \setbox\ParallelBoxVar
402         =\vsplit\ParallelRBox to\dp\strutbox
403         \unvbox\ParallelBoxVar
404         }%
405         \fi
406     }%
407 }%
408 \ifvoid\ParallelLBox
409 \ifvoid\ParallelRBox
410 \global\ParallelBoolVar=\z@
411 \fi
412 \fi%
413 \fi%
414 \ifnum\ParallelBoolVar=\@ne
415 \penalty\interlinepenalty
416 \repeat
417 \par
418 \endgroup
419 \pcp@SetCurrent{}%
420 \fi
421 }

```

\pcp@RuleBetweenColorDefault

```

422 \def\pcp@RuleBetweenColorDefault{%
423 \normalcolor
424 }

```

\pcp@RuleBetweenColor

```

425 \let\pcp@RuleBetweenColor\pcp@RuleBetweenColorDefault
426 \RequirePackage{keyval}
427 \define@key{parallel}{rulebetweencolor}{%
428 \edef\pcp@temp{#1}%

```

```

429 \ifx\pcp@temp\@empty
430   \let\pcp@RuleBetweenColor\pcp@RuleBetweenColorDefault
431 \else
432   \edef\pcp@temp{%
433     \noexpand\@ifnextchar[{%
434       \def\noexpand\pcp@RuleBetweenColor{%
435         \noexpand\color\pcp@temp
436       }%
437       \noexpand\pcp@GobbleNil
438     }{%
439       \def\noexpand\pcp@RuleBetweenColor{%
440         \noexpand\color{\pcp@temp}%
441       }%
442       \noexpand\pcp@GobbleNil
443     }%
444     \pcp@temp\noexpand\@nil
445   }%
446 \pcp@temp
447 \fi
448 }

```

\pcp@GobbleNil

```

449 \long\def\pcp@GobbleNil#1\@nil{}
450 </package>

```

3 Test

The test file is a modified version of the file that Alexander Hirsch has posted in de.comp.text.tex: “[parallel.sty und farbiger Text](http://de.comp.text.tex)”¹

```

451 (*test1)
452 \AtEndDocument{%
453   \typeout{%
454     \typeout{*****}%
455     \typeout{*** \space Check the PDF file manually! \space ***}%
456     \typeout{*****}%
457   \typeout{%
458 }
459 \documentclass{article}
460 \usepackage{xcolor}
461 \usepackage{pdfcolparallel}[2010/01/11]
462
463 \begin{document}
464   \color{green}%
465   Green%
466   \begin{Parallel}{0.47\textwidth}{0.47\textwidth}%
467     \ParallelLText{%
468       \textcolor{red}{%
469         Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
470         Ein Absatz, der sich ueber zwei Zeilen erstrecken soll.%
471       }%
472     }%
473     \ParallelRText{%
474       \textcolor{blue}{%
475         Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
476         Ein Absatz, der sich ueber zwei Zeilen erstrecken soll.%
477       }%
478     }%
479   \ParallelPar
480   \ParallelLText{%

```

¹Url: <http://groups.google.com/group/de.comp.text.tex/msg/6a759cf33bb071a5>

```

481     Default %
482     \color{red}%
483     Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
484     Ein Absatz, der sich ueber zwei Zeilen erstrecken soll.%
485 }%
486 \ParallelRText{%
487     Default %
488     \color{blue}%
489     Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
490     Ein Absatz, der sich ueber zwei Zeilen erstrecken soll.%
491 }%
492 \ParallelPar
493 \ParallelLText{%
494     \begin{enumerate}%
495     \item left text, left text, left text, left text, %
496         left text, left text, left text, left text,%
497     \item left text, left text, left text, left text, %
498         left text, left text, left text, left text.%
499     \end{enumerate}%
500 }%
501 \ParallelRText{%
502     \begin{enumerate}%
503     \item right text, right text, right text, right text, %
504         right text, right text, right text, right text.%
505     \item right text, right text, right text, right text, %
506         right text, right text, right text, right text.%
507     \end{enumerate}%
508 }%
509 \end{Parallel}%
510 \begin{Parallel}[p]{\textwidth}{\textwidth}%
511     \ParallelLText{%
512         \textcolor{red}{%
513             Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
514             Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
515             Foo bar bla bla bla.%
516         }%
517     \par
518     Und noch ein Absatz.%
519 }%
520 \ParallelRText{%
521     \textcolor{blue}{%
522         Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
523         Ein Absatz, der sich ueber zwei Zeilen erstrecken soll. %
524         Foo bar bla bla bla.%
525     }%
526 }%
527 \end{Parallel}%
528 \begin{Parallel}[p]{\textwidth}{\textwidth}%
529     \ParallelLText{%
530         \rule{1pt}{.98\textheight}\Huge g%
531     }%
532     \ParallelRText{%
533         \rule{1pt}{.98\textheight}y%
534     }%
535 \end{Parallel}%
536 Green%
537 \end{document}
538 </test1>

```

4 Installation

4.1 Download

Package. This package is available on CTAN²:

[CTAN:macros/latex/contrib/oberdiek/pdfcolparallel.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/pdfcolparallel.pdf](#) Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

TDS refers to the standard “A Directory Structure for \TeX Files” ([CTAN:tds/tds.pdf](#)). Directories with `texmf` in their name are usually organized this way.

4.2 Bundle installation

Unpacking. Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

Script installation. Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

4.3 Package installation

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain \TeX :

```
tex pdfcolparallel.dtx
```

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
pdfcolparallel.sty      → tex/latex/oberdiek/pdfcolparallel.sty
pdfcolparallel.pdf     → doc/latex/oberdiek/pdfcolparallel.pdf
test/pdfcolparallel-test1.tex → doc/latex/oberdiek/test/pdfcolparallel-test1.tex
pdfcolparallel.dtx     → source/latex/oberdiek/pdfcolparallel.dtx
```

If you have a `docstrip.cfg` that configures and enables `docstrip`’s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

4.4 Refresh file name databases

If your \TeX distribution (`te \TeX` , `mik \TeX` , ...) relies on file name databases, you must refresh these. For example, `te \TeX` users run `texhash` or `mktextlsr`.

²<ftp://ftp.ctan.org/tex-archive/>

4.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk pdfcolparallel.pdf unpack_files output .
```

Unpacking with L^AT_EX. The `.dtx` chooses its action depending on the format:

plain T_EX: Run `docstrip` and extract the files.

L^AT_EX: Generate the documentation.

If you insist on using L^AT_EX for `docstrip` (really, `docstrip` does not need L^AT_EX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{pdfcolparallel.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL^AT_EX:

```
pdflatex pdfcolparallel.dtx
makeindex -s gind.ist pdfcolparallel.idx
pdflatex pdfcolparallel.dtx
makeindex -s gind.ist pdfcolparallel.idx
pdflatex pdfcolparallel.dtx
```

5 References

- [1] Matthias Eckermann: *The parallel-package*; 2003/04/13;
CTAN:macros/latex/contrib/parallel/.
- [2] Heiko Oberdiek: *The pdfcol package*; 2007/09/09;
CTAN:macros/latex/contrib/oberdiek/pdfcol.pdf.

6 History

[2007/09/09 v1.0]

- First version.

[2007/12/12 v1.1]

- Adds patch for setting `\linewidth` to fix bug in package `parallel`.
- Package `parallel` is also fixed if color stacks are not available.
- Bug fix, switched stacks now initialized with current color.
- Fix for package `parallel`: `\raggedbottom` is respected.

[2008/08/11 v1.2]

- Code is not changed.
- URLs updated.

[2010/01/11 v1.3]

- Option ‘rulebetweencolor’ added.

7 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

Symbols		G	
<code>\@PackageWarningNoLine</code>	54	<code>\g@addto@macro</code>	35
<code>\@empty</code>	429	<code>\gdef</code>	17, 19, 20
<code>\@ifnextchar</code>	433	H	
<code>\@ifundefined</code>	16	<code>\hbadness</code>	71, 85, 102, 120
<code>\@one</code> <i>103, 108, 121, 126, 138, 141, 147,</i>		<code>\hbox</code>	168,
<i>148, 160, 189, 195, 198, 204,</i>			177, 225, 240, 311, 313, 370, 372
<i>205, 217, 258, 298, 309, 325,</i>		<code>\hsize</code>	75, 89, 110, 128
<i>335, 350, 357, 368, 385, 399, 414</i>		<code>\hskip</code>	312,
<code>\@nil</code>	444, 449		315, 326, 333, 371, 374, 386, 396
<code>\@nobreakfalse</code>	83, 118	<code>\hss</code>	329, 331, 392, 394
<code>\@restorepar</code>	69, 82, 100, 117	<code>\Huge</code>	530
<code>\@textbottom</code>	231, 246	I	
<code>\@texttop</code>	229, 244	<code>\ifnum</code>	32, 103,
<code>\@</code>	291		121, 138, 147, 148, 163, 189,
			195, 204, 205, 220, 258, 298,
A			309, 325, 350, 357, 368, 385, 414
<code>\afterassignment</code>	47, 78, 95, 113, 134	<code>\ifodd</code>	164, 172, 221, 235
<code>\aftergroup</code>	22, 23,	<code>\ifpdfcolAvailable</code>	266
	33, 34, 38, 76, 92, 111, 131, 281, 282	<code>\ifvoid</code>	149, 156, 184,
<code>\AtEndDocument</code>	452		185, 206, 213, 253, 254, 314,
B			332, 344, 345, 373, 395, 408, 409
<code>\begin</code>	463, 466, 494, 502, 510, 528	<code>\ifx</code>	12, 51, 291, 429
C		<code>\interlinepenalty</code>	351, 415
<code>\color</code>	435, 440, 464, 482, 488	<code>\item</code>	495, 497, 503, 505
<code>\csname</code>	12	L	
<code>\currentgrouplevel</code>	26, 32	<code>\leftmargin</code>	301, 360
<code>\CurrentOption</code>	6	<code>\linewidth</code>	90, 129
D		<code>\loop</code>	146, 203, 308, 367
<code>\DeclareOption</code>	5	M	
<code>\define@key</code>	427	<code>\mbox</code>	150, 157, 165, 174, 207, 237
<code>\documentclass</code>	459	<code>\MessageBreak</code>	55, 56, 57, 58
<code>\dp</code>	320, 338, 380, 402	N	
E		<code>\NeedsTeXFormat</code>	2
<code>\end</code>	499, 507, 509, 527, 535, 537	<code>\newbox</code>	275
<code>\endcsname</code>	12	<code>\newpage</code>	142, 151, 158, 166, 175,
<code>\endinput</code>	271		182, 199, 208, 215, 223, 238, 251
<code>\everypar</code>	68, 81, 99, 116	<code>\noindent</code>	310, 369
F		<code>\normalcolor</code>	423
<code>\fill</code>	181, 250	<code>\null</code>	214, 222
<code>\footnote</code>	72, 86, 104, 106, 122, 124	P	
		<code>\PackageInfo</code>	268

`\par` 139, 191,
196, 260, 299, 353, 358, 417, 517
`\ParallelAfterText` ... 76, 92, 111, 131
`\ParallelBoolMid` 325, 385
`\ParallelBoolVar` .. 138, 147, 186,
189, 195, 204, 255, 258, 298,
309, 346, 350, 357, 368, 410, 414
`\ParallelBoxVar` 319,
321, 337, 339, 379, 381, 401, 403
`\ParallelCheckOpenBrace`
..... 78, 95, 113, 134
`\ParallelFNMode` 103, 121
`\ParallelLBox` 74,
88, 91, 149, 169, 184, 206, 227,
253, 314, 320, 344, 373, 380, 408
`\ParallelLeftMargin` 312, 371
`\ParallelLFootnote` ... 72, 86, 106, 124
`\ParallelLText`
..... 67, 467, 480, 493, 511, 529
`\ParallelLWidth` .. 75, 89, 90, 315, 374
`\ParallelMainMidSkip` 326, 386
`\ParallelPar` 479, 492
`\ParallelParOnePage` 297
`\ParallelParTwoPages` 137
`\ParallelRBox` 109, 127,
130, 156, 178, 185, 213, 242,
254, 332, 338, 345, 395, 402, 409
`\ParallelRFootnote` 104, 122
`\ParallelRText`
..... 98, 473, 486, 501, 520, 532
`\ParallelRWidth` 110, 128, 129, 333, 396
`\ParallelTextWidth` 313, 372
`\ParallelWhichBox`
..... 73, 87, 108, 126, 141,
148, 153, 160, 163, 198, 205,
210, 217, 220, 317, 335, 377, 399
`\parindent` 304, 363
`\parskip` 303, 362
`\PassoptionsToPackage` 6
`\pcp@Box` 275, 278, 286
`\pcp@cmd` 46, 51, 53, 63
`\pcp@CmdCheckRedef` 44, 67, 98, 137, 297
`\pcp@CmdDo` 47, 50
`\pcp@ColorPatch` 11, 93, 132
`\pcp@ColorResets` 20, 22, 35
`\pcp@FixBox` 281, 284
`\pcp@GobbleNil` 437, 442, 449
`\pcp@GroupLevel` 26, 32
`\pcp@OrgAfterGroup` 33, 38
`\pcp@OrgSetColor` 24, 37, 40
`\pcp@RuleBetweenColor`
..... 388, 425, 430, 434, 439
`\pcp@RuleBetweenColorDefault` ...
..... 422, 425, 430
`\pcp@SetColor` 25, 31
`\pcp@SetCurrent` 66,
226, 241, 262, 290, 376, 398, 419
`\pcp@SwitchStack` 65, 91, 130, 276
`\pcp@temp`
. 428, 429, 432, 435, 440, 444, 446
`\pdfcolInitStack` 273, 274
`\pdfcolSetCurrent` 292, 294
`\pdfcolSetCurrentColor` 279
`\pdfcolSwitchStack` 277
`\penalty` 351, 415
`\ProcessOptions` 8
`\ProvidesPackage` 3

R

`\repeat` 190, 259, 352, 416
`\RequirePackage` 9, 10, 265, 426
`\reserved@a` 48, 51
`\rightmargin` 302, 361
`\rule` 530, 533

S

`\set@color` 24, 25
`\setbox` 74, 88, 109, 127, 227,
242, 278, 285, 319, 337, 379, 401
`\space` 57, 455
`\splittopskip` 145, 202, 307, 366
`\strut` 324, 384
`\strutbox` 320, 338, 380, 402

T

`\textcolor` 468, 474, 512, 521
`\textheight` 169,
178, 227, 228, 242, 243, 530, 533
`\textwidth` 168, 177,
225, 240, 311, 370, 466, 510, 528
`\the` 26
`\thepage` 164, 172
`\typeout` 453, 454, 455, 456, 457

U

`\unvbox` 230,
245, 286, 287, 321, 339, 381, 403
`\usepackage` 460, 461

V

`\value` 221, 235
`\vbadness` 143, 200, 305, 364
`\vbox` 74, 88, 109, 127, 169, 178, 228,
243, 278, 285, 318, 336, 378, 400
`\vfuzz` 144, 201, 306, 365
`\vrule` 327, 389
`\vspace` 181, 250
`\vsplit` 169,
178, 227, 242, 320, 338, 380, 402

X

`\x` 53, 55, 58, 79, 96, 114, 135

Z

`\z@` 153, 163, 186, 210, 220, 227, 230,
242, 245, 255, 301, 302, 304,
317, 346, 360, 361, 363, 377, 410
`\z@skip` ... 145, 202, 303, 307, 362, 366